

Environments

Announcements

Environments for Higher-Order Functions

Environments Enable Higher-Order Functions

Functions are first-class: Functions are values in our programming language

Higher-order function: A function that takes a function as an argument value **or**
A function that returns a function as a return value

Environment diagrams describe how higher-order functions work!

(Demo)

Names can be Bound to Functional Arguments

```
1 def apply_twice(f, x):  
2     return f(f(x))  
3  
→ 4 def square(x):  
5     return x * x  
6  
→ 7 result = apply_twice(square, 2)
```

Global frame
apply_twice
square

func apply_twice(f, x) [parent=Global]

func square(x) [parent=Global]

Applying a user-defined function:

- Create a new frame
- Bind formal parameters (f & x) to arguments
- Execute the body:
return f(f(x))

```
→ 1 def apply_twice(f, x):  
→ 2     return f(f(x))  
3  
4 def square(x):  
5     return x * x  
6  
7 result = apply_twice(square, 2)
```

2 Global frame

1 f1: apply_twice [parent=Global]

apply_twice
square

func apply_twice(f, x) [parent=Global]

func square(x) [parent=Global]

f
x 2

Environments for Nested Definitions

(Demo)

How to Draw an Environment Diagram

When a function is defined:

Create a function value: `func <name>(<formal parameters>) [parent=<label>]`

Its parent is the current frame.



`f1: make_adder` `func adder(k) [parent=f1]`

Bind `<name>` to the function value in the current frame

When a function is called:

1. Add a local frame, titled with the `<name>` of the function being called.
- ★ 2. Copy the parent of the function to the local frame: `[parent=<label>]`
3. Bind the `<formal parameters>` to the arguments in the local frame.
4. Execute the body of the function in the environment that starts with the local frame.

Local Names

(Demo)

Function Composition

(Demo)


The Environment Diagram for Function Composition

```

1 def square(x):
2     return x * x
3
4 def make_adder(n):
5     def adder(k):
6         return k + n
7     return adder
8
9 def compose1(f, g):
10    def h(x):
11        return f(g(x))
12    return h
13
14 compose1(square, make_adder(2))(3)

```

Return value of make_adder is an argument to compose1



Lambda Expressions

(Demo)

Lambda Expressions

```
>>> x = 10
```

An expression: this one evaluates to a number

```
>>> square = x * x
```

Also an expression: evaluates to a function

```
>>> square = lambda x: x * x
```

Important: No "return" keyword!

A function

with formal parameter `x`

that returns the value of `'x * x'`

```
>>> square(4)
16
```

Must be a single expression

Lambda expressions are not common in Python, but important in general

Lambda expressions in Python cannot contain statements at all!

Lambda Expressions Versus Def Statements





```
square = lambda x: x * x
```

VS



```
def square(x):  
    return x * x
```

- Both create a function with the same domain, range, and behavior.
- Both bind that function to the name square.
- Only the def statement gives the function an intrinsic name, which shows up in environment diagrams but doesn't affect execution (unless the function is printed).



Currying

Function Currying

```
def make_adder(n):  
    return lambda k: n + k
```

```
>>> make_adder(2)(3)  
5  
>>> add(2, 3)  
5
```

There's a general
relationship between
these functions

(Demo)

Curry: Transform a multi-argument function into a single-argument, higher-order function